

NEW PRODUCTS 2022

INNOVATION AT ITS SOURCE



DELABIE



DELABIE, a manufacturer's expertise

DELABIE, a 100% family-owned French company, established in 1928, is the European market leader in tapware and sanitary accessories for the non-domestic market. It has a special offering for this market, with five ranges: Water controls for Public and Commercial places, Water controls for Healthcare facilities and Retirement homes, Accessibility and Hygienic Accessories, Stainless steel sanitary ware and other Specialist controls.

Over 2,000 DELABIE manufactured products, internationally renowned, are exported from its factory in France to more than 90 countries. The company has 9 subsidiaries worldwide: Germany, Austria, Benelux, United Kingdom, Portugal, Spain, Poland, United Arab Emirates (Dubai) and China (Hong-Kong).

NEW PRODUCTS 2022 DELABIE

Our ambition: innovation, performance, design

Unique solutions, new technologies, registering patents, respecting international standards: **at DELABIE, Research & Development is our driving force.**

User hygiene (touch-free operation) as well as system hygiene (daily anti-bacterial pipework flush) are at the core of our solutions. Our products are designed and developed to guarantee **complete hygiene in public and commercial places.**

At DELABIE, **eco-friendly and stylish** product design, **water and energy savings**, ease of installation and maintenance, these are all fundamental to our company culture. This enables us to provide **constant support to commercial buildings, healthcare facilities and all other public places in their new challenges** on a daily basis.

Driven to meet your expectations in 2022, as we did in 2021, we have designed new products whilst remaining faithful to quality which is our trademark in France, and around the world: **remarkable design and unquestionable manufacture.** For every project, for every issue, there is a DELABIE solution made for you.

We hope you enjoy discovering our products.

Would you like to know more about DELABIE? **Go to delabie.com**, where you will easily be able to find all of our products and download **numerous files and BIM objects** freely.

Our catalogues are, of course, available on request or on our website.



PUBLIC AND COMMERCIAL PLACES / PP. 06 TO 21



BLACK BINOPTIC
electronic basin
mixers and taps



BINOPTIC 2
recessed electronic
basin tap



TEMPOMATIC 5
electronic basin
mixers and taps



SPORTING 2
thermostatic
electronic shower
panel



OUTDOOR
time flow shower
column



RAINY
Rain effect shower
head



TEMPOFLUX 3
time flow direct
flush WC valve



TEMPOFIX 3
Fire-retardant
frame system for
direct flush valves

HEALTHCARE FACILITIES / PP. 22 TO 31



Sequential
mechanical
basin mixer
with high
swivelling spout



Mechanical
basin mixer
with pressure-
balancing



Sequential
thermostatic
sink mixer



SECURITHERM
Securitouch
thermostatic
shower mixer



BIOFIL
tap filter

ACCESSIBILITY / ACCESSORIES / PP. 32 TO 37



Toilet paper
dispenser



Toilet brush set



Electronic
soap dispenser
liquid or foam
soap



Be-Line®
drop-down
support rail
with leg

SANITARY WARE / PP. 38 TO 43



LAVANDO WC
stainless steel
hand washbasin



AZA
stainless steel
urinal divider



Hygiene
stainless steel
washbasin

PROFESSIONAL CATERING / PP. 44 TO 47



Short pre-rinse
set
with mixer



Single hole mixer
with self-supporting
flexible hose





NEW
BLACK BINOPTIC:
IT COULDN'T
BE CLEARER!




reddot winner 2021

Displayed products: Ref. 378035 - 388035 - 398035

BLACK BINOPTIC MATTE BLACK ELECTRONIC BASIN MIXERS AND TAPS

Total hygiene

No manual contact, reduced-stagnation solenoid valve, spout with smooth interior and anti-bacterial duty flush.

90% water savings

Automatic shut-off and operation, flow rate pre-set at 3 litres per minute.

Design

New Black Magic range: a link between design, architecture and functionality.

Specifically designed for public & commercial places

Brass body, matte black chrome finish, sleek lines, maintenance facilitated by LED.

Available in 3 heights for installation on washbasins; wall-mounted version; mixer version.



Water savings



No manual contact



Design

In the
BLACK BINOPTIC
range



Wall-mounted version
Ref. 379ENCB

NEW
RECESSED
CLEAN & DESIGN



Displayed product: Ref. 370SBOX + 370010

BINOPTIC 2 RECESSED ELECTRONIC BASIN TAP

Total hygiene

No manual contact, reduced-stagnation solenoid valve, spout with smooth interior and anti-bacterial duty flush.

90% water savings

Automatic shut-off and operation, flow rate pre-set at 3 litres per minute.

Easy to install

One housing for all installation types (plasterboard rails, solid walls or panels); install on thick or thin walls; secure system flush; guaranteed to be waterproof without additional action by the installer.

Minimal servicing and easy to maintain

Technical elements can be accessed from the front without removing the housing; electronics are integrated behind the plate.



Water savings



No manual contact



Easy to maintain

In the recessed
BINOPTIC 2
range



Brushed stainless steel finish,
spout L. 190mm

Ref. 370PBOX + 370106

NEW

THE PERFECT MATCH:
100% CLEAN,
200% ECO-FRIENDLY



Displayed product: Ref. 449006

TEMPOMATIC 5 ELECTRONIC BASIN MIXERS AND TAPS

Total hygiene

No manual contact, reduced-stagnation solenoid valve and anti-bacterial duty flush.

90% water savings

Automatic shut-off and operation, flow rate pre-set at 3 litres per minute.

Easy to install

Can replace a conventional tap, the battery-operated models operates independently for 3 to 6 years, no need for additional adjustment.



Water savings



No manual contact



Design

In the
TEMPOMATIC 5
range



Mixer version, mains supply
Ref. 499001



NEW
 SIMPLE & AESTHETIC
 ANTI-LEGIONELLA
 SOLUTION



Displayed product: Ref. 714910

SPORTING 2 SECURITHERM THERMOSTATIC, ELECTRONIC SHOWER PANEL

Anti-Legionella solution

Thermostatic mixer integrated at the point-of-use; no circulation of water in the panel; anti-bacterial duty flush.

Total hygiene

No manual contact, reduced-stagnation solenoid valve, daily anti-bacterial duty flush, scale-resistant shower head.

80% water savings

Automatic shut-off and operation, flow rate pre-set at 6 litres per minute.

Advantages of SECURITHERM thermostatic technology

- Integrated thermostatic mixer
- Anti-scalding failsafe and prevents cold showers
- Stable temperature

Also available: single inlet version, top or recessed inlet, battery-operated or mains supply, with rain-effect or scale-resistant shower head.



Hygiene



Water savings



Comfort



Anti-scalding safety



DELABIE Innovation

Located in the shower head, the thermostatic mixer regulates the hot water directly from the system at 38°C.

The result: a major reduction of the risk of bacterial proliferation in the pipework and the panel.

Practical, hygienic, economical, and comfortable.

Another innovation by DELABIE.



OUTDOOR time flow shower column 717511

NEW
EFFORTLESS SIMPLICITY:
DESIGN, WATER SAVINGS
AND ROBUST!



Displayed product: Ref. 717511

OUTDOOR TIME FLOW SHOWER COLUMN FOR THE OUTDOORS

80% water savings

Flow rate set at 6 litres per minute, 15-second time flow for the shower and 7 seconds for the foot-rinse.

Comfort

Water controls have soft-touch operation.

Easy to install and simple to maintain

Supplied ready to install, maintenance panel with isolation and purge valve, easy to take apart in winter.

Vandal-resistant

Anti-corrosion aluminium column, chrome-plated brass shower head and control, shock-resistant mechanisms and scale-resistant materials.

*Available in various combinations:
1 to 4 showers; with or without
foot-rinse.*



Water savings



Soft-touch operation



Easy to install

In the OUTDOOR shower column range

Version with 2 showers
and 1 foot-rinse

Ref. 717521



NEW
THE COMFORT OF
SOOTHING SHOWERS

Displayed product: **Ref. 708000**

RAINY RAIN-EFFECT SHOWER HEAD

80% water savings

Flow rate regulated at 6 litres per minute.

Comfort

Soft and enveloping rain-effect shower, effective and comfortable showering.

Design

Sleek and timeless aesthetic.

Easy to install

System for easy installation: mount the connector in/on the wall then clip the shower head onto it.

Available in recessed, panel-mounted, ceiling-mounted or cross wall versions.



Water savings



Rain-effect



Design

In the RAINY
shower head range



Ceiling-mounted version
Ref. 708030



NEW
 SOLID GLASS!



Displayed product: Ref. 763BOX + 763030

TEMPOFLUX 3 RECESSED BLACK GLASS TIME FLOW DIRECT FLUSH WC VALVE

Design

Black glass actuator plate.
 Specifically designed for public places.

Easy to install

One housing for all installation types (plasterboard rails, solid walls or panels); install on thick or thin walls; secure system flush; guaranteed to be waterproof without additional action by the installer.

Minimal servicing and easy to maintain

Technical elements can be accessed from the front without removing the housing; electronics are integrated behind the plate.

Advantages of a direct flush system with no cistern

Flush valve connects directly to the pipework:

- Effective flush is always available
- No water stagnation, scale or impurities
- Reduced risk of leaks, water savings.

Also available in chrome-plated metal or satin finish stainless steel.



Easy to install



Water savings



Flushes without a cistern: no stagnant water



Design

In the TEMPOFLUX 3 range



Chrome-plated metal finish
 Ref. 763BOX + 763040



NEW
SAFETY FIRST
WITH THE
FIRE-RETARDANT VERSION
OF THE TEMPOFIX 3!

Displayed product: Ref. 565065 + 763000

TEMPOFIX 3 WITH TEMPOFLUX 3 FIRE-RETARDANT FRAME SYSTEM FOR DIRECT FLUSH WC VALVES

Fire-retardant solution

The frame system withstands the spread of fire for 60 minutes in the event of a fire.

Quick and easy to install

Frame-system supplied pre-assembled.

Specifically designed for public places

Space saving, easy to clean, withstands intensive use.

Advantages of a direct flush system with no cistern

Flush valve connects directly to the pipework:

- Effective flush is always available
- No water stagnation, scale or impurities
- Reduced risk of leaks, water savings.



Fire safety



Quick and easy to install



Withstands intensive use



DELABIE Innovation

Fire-retardant frame system is easy to service from the front without the need for an accessible service duct.



Sequential mechanical basin mixer 2664T1



NEW
SMOOTH SEQUENTIAL
OPERATOR

Displayed product: Ref. 2664T1

SEQUENTIAL BASIN MIXER WITH HIGH SWIVELLING SPOUT

Opens and closes with cold water

Water flow and temperature adjustment are controlled with the same lateral movement; possible to deliver just cold water (exclusive).

Infection control

Spout with a smooth internal tube, low volume of standing water in the body.

Anti-scalding safety

Securitouch thermal insulation, thermal shock function, maximum temperature limiter.

Comfort

Optimised hand washing; Hygiene lever enables touch-free control.



Opens
and closes with
cold water



Maximum
hygiene



Thermal shock
function



Ergonomic
and improved
functionality

In the mechanical
mixer with high
spout range



Pressure-balancing basin mixer
Ref. 2565T5EP

NEW
NOWHERE FOR
BACTERIA TO HIDE!



Displayed product: Ref. 2921T

MECHANICAL BASIN MIXER THERMAL SHOCK FEATURE

Infection control

Spout with a smooth internal tube; low volume of standing water in the body; no contact with chrome, nickel or lead.

Anti-scalding safety

Securitouch thermal insulation, thermal shock feature, maximum temperature limiter.

Design

Sleek lines.

Also available with pressure-balancing cartridge or classic ceramic cartridge.



Infection control



Optimal anti-scalding safety



Thermal shock feature



Ergonomic control



DELABIE Innovation

This new basin mixer meets the requirements of healthcare facilities.

Its internal design prevents the water from coming into contact with chrome, nickel or lead for optimal hygiene. It also features a maximum temperature limiter and thermal shock feature for increased anti-scalding safety!



Sequential thermostatic sink mixer **H9620**



NEW
TECHNICAL & ERGONOMIC,
CHOOSE THERMOSTATIC!

Displayed product: **Ref. H9620**

SEQUENTIAL THERMOSTATIC SINK MIXER

Opens and closes with cold water

Water flow and temperature adjustment are controlled with the same lateral movement; option of delivering just cold water (exclusive).

Infection control

No non-return valves (designed for no cross flow), body and spout with smooth interiors.

Ergonomic

Hygiene lever enables control without manual contact.

Anti-scalding safety

Hot water shuts off automatically if the cold water supply fails (and vice versa); maximum temperature limiter.

Comfort

Stable temperature regardless of pressure and flow rate variations.



Opens and closes with cold water



No non-return valves



Optimal anti-scalding safety



Ergonomic and improved functionality

In the sequential thermostatic mixer range —



BIOCLIP sequential thermostatic basin mixer

Ref. H9605



NEW
NO MORE
NON-RETURN VALVES!
THE THERMOSTATIC
SHOWER MIXER WITH
NO CROSS FLOW



Displayed product: Ref. H9768

THERMOSTATIC SHOWER MIXER NO NON-RETURN VALVES

Total anti-scalding safety

Hot water shuts off automatically if the cold water supply fails (and vice versa); Securitouch thermal insulation; thermal shock feature; dual temperature limiter.

Infection control

No non-return valves (designed for no cross flow); low volume of standing water in the body; body with smooth interior.

Easy to maintain

Easy to check the anti-scalding failsafe and mixer can be easily removed for disinfection.

Comfort

Ergonomic controls are easy to grip.



DELABIE Innovation

DELABIE has developed a unique patent: the design of the H9768 thermostatic shower mixer makes cross flow between hot and cold water impossible, reducing the risk of bacterial proliferation considerably.



Optimal
anti-scalding
safety



No non-return
valves



Optimised
ergonomics



NEW
 NO MORE BACTERIA,
 GET THE RIGHT DELABIE
 FILTER!

Displayed product: Ref. 30250

BIOFIL 2-MONTH TAP FILTER ANTI-LEGIONELLA AND ALL-GERM

Powerful technology

Tubular microfiltration with a high filtration capacity for a longer filter lifespan; effective and reliable, regardless of water quality.

Innovative design


Space saving filter suitable for any mixer or tap.

Adjustable so the filter can be positioned to prevent the jet from flowing directly down the waste.

Sterile or non-sterile

According to use in healthcare facilities or public buildings.

3-month and 4-month versions available soon.



Rain-effect



Laminar flow



Anti-bacterial



Easy to install



Single use

In the BIOFIL
 anti-legionella &
 all-germ range



New 2-month shower filter,
 screws onto the flexible hose.

Ref. 30261



NEW
 PAINT IT BLACK



Displayed product: Ref. 510910BK



Paper towel dispenser
 Ref. 510601BK



Electronic soap dispenser
 Ref. 512066BK



HIGHFLOW hand dryer
 Ref. 510622BK



SPEEDJET 2 hand dryer
 Ref. 510624B



Toilet brush set
 Ref. 4051BK



Toilet roll holder
 Ref. 510083BK



Coat hook
 Ref. 4043BK

BLACK ACCESSORIES
 HYGIENE, DESIGN
 AND VANDAL-RESISTANCE

100% Hygiene
 Bacteriostatic 304 stainless steel.

Vandal-resistant
 Robust design, suitable for intensive use in public and commercial buildings.

Design
 Sleek lines, available in various finishes depending on the model - matte black, bright polished, polished satin or white.



Hygiene



Vandal-resistant



Design

In the Black Magic range



BLACK BINOPTIC electronic basin tap
 Ref. 388035

NEW
ZERO CONTACT:
DISTANCING?
NO PROBLEM FOR
THIS GUY!



Displayed product: Ref. 512021P

BINOPTIC ELECTRONIC SOAP DISPENSER

LIQUID OR FOAM SOAP

100% Hygiene

No manual contact, chrome-plated 304 stainless steel. Easy to clean.

Comfort

Suitable for liquid or foam soap.

Design

Shape matches with BINOPTIC tap and mixer range.

Easy to service

Electronic unit and removable tank are separate, enabling installation under the countertop.

Vandal-resistant

No-waste system.

Also available: model with 0.5-litre tank, 1-litre tank, or for remote tanks.

In the BINOPTIC range



BINOPTIC wall-mounted electronic soap dispenser

Ref. 512051P



BINOPTIC electronic basin tap
Ref. 378015



Hygiene



Comfort



Design



Vandal-resistant




CE

NEW
 DESIGN,
 UP FOR GRABS!



Displayed product: Ref. 511962C



Angled grab bar 135°
 Ref. 511982C



Grab bar
 Ref. 511906C



L-shaped grab bar
 Ref. 511970C



T-shaped grab bar
 Ref. 511944C



Grab bar with upright
 Ref. 511949C

BE-LINE® GRAB BARS DESIGN, COMFORT AND WELL-BEING

Innovative design

Suitable for all, a feeling of well-being removing the medical aspect.

Comfort

Grab bars with an ergonomic surface prevent rotation for optimal grip; space saving for easy movement; visual contrast.

Safety pack

Tested to over 200kg, 10-year warranty, CE marked.



Metallised anthracite



Matte white



Design



Comfort



Test 200 kg



CE

In the Be-Line® range



Lift-up shower seat with leg
 Ref. 511930C

NEW
STAINLESS STEEL,
INEXORABLY MADE
FOR DESIGN



Displayed product: Ref. 121360

WALL-HUNG LAVANDO WC STAINLESS STEEL HAND WASHBASIN

Design-led hand washbasin.
Dimensions: 450 x 300mm.
Light weight: 3.2kg.

Available with left-hand tap hole
(ref. 121360) or right-hand tap hole
(ref. 121370).

Vandal-resistant
Unbreakable material.

Safety
Rounded edges, finish prevents
injury.

Maximum hygiene
Bacteriostatic 304 stainless steel,
surface is easy to clean.

-  Design
-  Easy to clean
-  Withstands intensive use
- 

In the hand
washbasin range



Wall-mounted PMR XS hand
washbasin, without taphole
Ref. 120400
Available with taphole (ref. 123400)



NEW
INDUSTRIAL?
STAINLESS STEEL?

Displayed product: Ref. 100620

WALL-HUNG AZA STAINLESS STEEL URINAL DIVIDER

Truly decorative element for design-led washrooms.
Dimensions: 350 x 600mm.
Light weight: 4kg.

Vandal-resistant
Unbreakable material.

Safety
Rounded edges, no protruding parts, finish prevents injury.

Maximum hygiene
Bacteriostatic 304 stainless steel, surface is easy to clean.



Design



Easy to clean



Withstands intensive use

In the stainless steel dividers range



LISO stainless steel urinal divider
Ref. 100590
Also available: 700mm (ref. 100590) and 950mm (ref. 100600)

NEW
 HYGIENIC, SIMPLE
 AND AESTHETIC
 SOLUTION!



Displayed product: Ref. 188000

WALL-HUNG STAINLESS STEEL HYGIENE WASHBASIN

Washbasin with 450mm upstand.
 Ideal for hospitals, healthcare facilities and medical practices, as well as factories and places where hand washing is essential.

Deep bowl reduces the risk of splashing, ensuring a comfortable hand-washing experience.

Maximum hygiene

Bacteriostatic 304 stainless steel, surface is easy to clean, reduces bacterial development.

Safety

Rounded edges, no protruding parts, finish prevents injury.

Vandal-resistant

Unbreakable material.



Easy to clean



Withstands intensive use



Quick and easy to install

In the Hygiene range



"Hygiene+" design-led surgical scrub-up trough

Ref. 186000

Also available: 700 - 2,400mm lengths; with or without tapholes; with or without upstand



Short pre-rinse set 5526



NEW

MICRO, TECHNO,
ERGO, DESIGNED FOR
PROFESSIONALS !

Displayed product: Ref. 5526

**PRE-RINSE SET
WITH MIXER**

**High strength
and endurance**

Design is ideal for intensive professional use.

Hygiene

Scale-resistant diffuser, mixer and flexible hose with smooth interiors.

Comfort

Ergonomic lever, hand spray with 3 jet options, practical and adjustable.

Reliable

Mixer made from scale- and corrosion-resistant materials; mechanism will withstand higher temperatures.

Design

Sleek lines.



High levels of strength and endurance



Maximum hygiene



Practical comfort

In the pre-rinse set range



Single hole pre-rinse set with mixer
Ref. G6932



Single hole mixer with self-supporting flexible hose 2526T2



NEW
CHOOSE WELL,
CHOOSE FLEXIBILITY,
CHOOSE DURABILITY

Displayed product: Ref. 2526T2

MIXER FOR PROFESSIONAL KITCHENS WITH SELF-SUPPORTING FLEXIBLE

High strength and endurance

Design is ideal for intensive professional use.

Practical comfort

Swivelling spout for easy movement and rapid-fill for plunge sinks.

Hygiene

Spout with smooth interior.

Design

Matte black flexible spout outlet with a modern aesthetic.



High levels of strength and endurance



Practical comfort



Hygiene



Design

In the professional catering range



Single hole mixer with high flow rate
Ref. 5650T2

— Discover all of DELABIE's product references
at **delabie.com**

New

Download the **BIM files** for our flagship products

— Available **documents**




DOC 609INT: Water Controls for Public and Commercial Places

DOC 900INT: Water Controls for Healthcare Facilities and Retirement Homes

DOC 950INT: Accessibility and Independence - Hygienic Accessories for Public and Commercial Places

DOC 750INT: Stainless Steel Sanitary Ware

DOC 200INT: Water Controls for Professional Catering



DELABIE

18 rue du Maréchal Foch
80130 FRIVILLE - FRANCE

DELABIE SCS share capital 1.000.000 € - RCS Amiens B 615 680 089

[delabie.com](https://www.delabie.com)



DOC100INT - 10/2021